

Humanoid Robotics and the AI Revolution

A Socio Economic Approach to Management Analysis of Hidden Costs and Untapped Human Potential

David Michael Boje

<https://DavidBoje.com/ws/> Working paper | September 28, 2026

Abstract

Humanoid robotics is moving from prototype spectacle toward volume production, but a procurement comparison between a robot purchase price and a worker annual cost does not establish socio-economic performance. This working paper applies the Socio-Economic Approach to Management (SEAM) to reported humanoid-robot manufacturing claims and to the organizational conditions of deployment. The analysis treats structures, behaviors, dysfunctions, and hidden costs as a four-leaf whole. It develops a transparent best-estimate scenario for a 100-robot logistics or light-manufacturing deployment, rather than presenting vendor targets as observed outcomes. The central finding is that rapid robot production can coexist with sizeable invisible costs in integration, downtime, rework, safety validation, supervisory time, workforce disruption, and foregone learning. The practical implication is not to reject robotics. It is to govern it as a socio-technical transformation whose economic result depends on the conversion of hidden costs into untapped human potential.

Keywords: humanoid robotics; artificial intelligence; SEAM; hidden costs; qualimetrics; work organization

Introduction

The new image of the AI Revolution is not only a chatbot on a screen. It is a humanoid robot moving through a factory, warehouse, hospital, or retail back room. Robert Lowe's YouTube Short usefully maps the speed claims circulating in the sector: Figure AI, EngineAI, Agility Robotics, Unitree, Tesla Optimus, and Boston Dynamics (Lowe, 2026). The supplied transcript describes Figure AI moving from one humanoid robot per day to one per hour in roughly four months, using more than 150 connected workstations and custom manufacturing software. Figure reports that its BotQ first-generation line can manufacture up to 12,000 humanoids annually and that it demonstrated a one-robot-per-hour production cycle for Figure 03 (Figure AI, 2025, 2026). Agility Robotics similarly described a facility designed to scale beyond 10,000 Digit robots annually (Agility Robotics, 2023). These are important capacity signals, but capacity is not deployment, and deployment is not sustainable performance.

SEAM begins exactly where simple return-on-investment narratives stop. It asks how organizational structures and human behaviors generate dysfunctions whose costs are hidden from ordinary accounting. Its four-leaf model connects structures, behaviors, dysfunctions, and hidden costs; its intervention work seeks to recycle these costs into economic and social performance (Savall & Zardet, 2008; Conbere et al., 2018). In robotization, the visible invoice may decline while the organization transfers work into supervision,

exception handling, skill repair, training, unpaid emotional labor, and intensified work. Those transfers do not disappear merely because a spreadsheet calls them efficiency.

Evidence Base and Analytic Boundaries

This paper uses the supplied transcript and linked industry claims as a qualitative starting point, cross-checked where possible against company and research sources. Figure publicly reports a 12,000-unit annual capacity target and a demonstrated one-hour Figure 03 cycle time. Goldman Sachs projected a \$38 billion humanoid-robot market by 2035 and attributed a major revision in its outlook partly to a 40% reduction in materials costs (Goldman Sachs, 2024). These statements demonstrate momentum, not a universal labor-replacement rate. The transcript also reports a first-pass yield of 80%, which means a material rework burden at an early production stage. The paper therefore distinguishes manufacturer capacity, claimed production cadence, and proven facility-level deployment results.

The cost figures circulating in the transcript are internally inconsistent, including a likely transcription error in the stated lower-cost range. No reliable all-in price for a generally capable industrial humanoid is established by the supplied material. The estimates below deliberately use a scenario range rather than an asserted market fact. They should be treated as a SEAM management hypothesis to be validated through field interviews, time observations, work logs, safety records, and a periodically negotiable activity contract.


SEAM 2023 Analytic Foundation

Savall, Zardet, Bonnet, and Savall (2023) provide the stronger theoretical foundation for this analysis. They define SEAM as an intervention-research approach in which human potential, not labor treated as a passive cost, is the active source of value creation. Their cloverleaf is not a static diagram: it is a way to connect spoken accounts of structures, behaviors, dysfunctions, and hidden costs. In robotics AI, that requires hearing the stories of operators, technicians, quality personnel, supervisors, and those affected by the deployment before assigning a financial meaning to a claimed efficiency gain.

The 2023 chapter also supplies three analytic commitments for this working paper. First, the mirror effect returns a collectively validated synthesis of dysfunctions to those who live them, so that diagnosis is not extracted from workers and translated only by management. Second, the SEAM trihedron joins political and strategic decisions, time management, and integrated training through tools such as priority action plans and periodically negotiable activity contracts. Third, the authors identify the TFW virus: a recurring organizational preference for solitary technical action that weakens cooperation. They report that 53% of hidden costs in their cited evidence are linked to this lack of cooperation. For robotic AI, the figure is a diagnostic proposition to test locally, not a universal percentage to apply without field evidence.

The SEAM Storytelling Four Leaf and Root System

Figure 1. SEAM storytelling four-leaf and root-system diagnostic.



Note. The four-leaf diagnosis is adapted from the SEAM storytelling formulation developed by Savall et al. (2023).

The uploaded SEAM Storytelling image is the analytic grammar for this paper. The four leaves show that humanoid robotics has to be studied as a relation among structures, behaviors, dysfunctions, and hidden

costs. The roots make the financial consequences visible: excess salary, overtime, overconsumption, nonproduction, noncreation of potential, and risks. The image prevents the common mistake of treating a robot purchase price as the whole economic story.

Unpacking the Structures in Robotics AI

Table 1. Structures requiring a SEAM diagnosis in robotics AI.

SEAM structure	Robotics AI application	Question for a field diagnosis
Physical	Humanoid body, grippers, batteries, charging, workcells, guarding, aisles, lighting, and sensors	Does the body and workspace fit the actual task, workers, and safety flow?
Technological	Vision, control models, fleet software, network, data capture, updates, cybersecurity, and integration interfaces	Who detects failure, owns the data, authorizes an update, and restores service?
Organizational	Shift design, work allocation, escalation paths, maintenance coverage, vendor contracts, procurement targets, and safety governance	Where does responsibility go when a robot is stopped, wrong, damaged, or unsafe?
Demographic	Age, health, experience, language, disability, job tenure, contractor status, and access to technical learning	Which groups are exposed to displacement, deskilling, new opportunity, or unequal surveillance?
Mental	Stories of inevitable replacement, efficiency, innovation, risk, craft, and human worth	What story authorizes the project, and whose experience does it omit?

Unpacking the Behavioral Leaf

Table 2. Behavioral levels and human relations in robotics AI.

Behavioral level	Robotics AI pattern	SEAM concern
Individual	Learning new controls, adapting pace, reporting hazards, repairing exceptions, or concealing difficulty	Stress, learning time, confidence, and answerability cannot be inferred from output alone
Work group	Handing work between operators, technicians, quality staff, and shifts	Automation may move coordination work onto groups without recognizing or resourcing it
Professional	Maintenance, engineering, safety, information technology, HR, and operations each use different languages and standards	Professional silos can produce slow escalation and unowned failure
Pressure groups	Unions, regulators, insurers, communities, investors, and vendors shape the terms of deployment	External expectations can turn an internal efficiency project into a legitimacy crisis
Collective	Informal norms about stopping work, sharing knowledge, and challenging management claims	Collective voice is a productive asset, not resistance to be engineered away

Unpacking the Dysfunction and Hidden Cost Leaves

Table 3. SEAM dysfunction domains and root financial consequences in robotics AI.

Dysfunction domain in the image	Robotics AI manifestation	Root financial consequence
Working conditions	Physical strain from higher pace, safety uncertainty, heat, charging hazards, monitoring, or residual work assigned to people	Occupational injuries, absenteeism, risk, overtime
Work organization	Unclear task boundaries, idle time during stoppages, duplicated checking, bottlenecks, weak repair handoffs	Nonproduction, excess salary, overconsumption
3Cs communication coordination cooperation	Vendor and management stories diverge from shop-floor experience; failures are not shared across functions	Nonquality, rework, lost time, risk
Time	Learning, recovery, repair, calibration, queueing, and exception-handling time disappear from the business case	Overtime, nonproduction, excess salary
Training	Workers are expected to supervise AI without protected learning time, career pathways, or competency recognition	Turnover, nonquality, noncreation of potential
Strategic implementation	Automation target is set before a credible redeployment, safety, data, and accountability plan exists	Overconsumption, risk, lost revenue, noncreation of potential

Savall's SEAM Storytelling formulation keeps material storytelling connected to structures, behavioral practices, and hidden costs that accumulate when a story of modernization is not matched by working reality. Robotics AI materializes a narrative in bodies, spaces, schedules, data systems, and relations of answerability. A SEAM analysis must collect stories from workers, technicians, managers, customers, and communities, then connect those stories to time measures and financial consequences.

The six root consequences deserve separate accounting. Excess salary can be duplicate coverage required by a poorly designed deployment. Overtime can indicate unplanned repair and coordination. Overconsumption includes parts, energy, training repetition, consultant hours, and rework. Nonproduction includes stopped flow and lost service capacity. Noncreation of potential measures the value foregone when workers' knowledge is not developed or redeployed. Risks include injuries, compliance exposure, cyber and data failures, and future liabilities omitted by a short-term business case.

Hidden Cost Categories for Robotization

Table 4. Hidden-cost categories, mechanisms, and field evidence for robotization.

SEAM category	Likely automation dysfunction	Hidden cost mechanism	Field evidence required
Excess salary and overtime	Human coverage remains necessary during early shifts and breakdowns	Premium hours, duplicate staffing, supervisory escalation	Payroll by task and shift; overtime logs; exception tickets
Nonproduction	Robot downtime, charging, safety stops, unreliable handoffs	Idle workers, missed output, congestion, lost service level	Downtime codes; time observation; throughput by hour
Overconsumption	Rework, spare parts, energy, training repetition, integration consulting	Materials, support contracts, repeated testing and calibration	Maintenance records; invoices; energy and rework data
Noncreation of human potential	Displaced tacit knowledge and weak reskilling pathways	Lost innovation, turnover, lower quality improvement, foregone revenue	Interviews; turnover; competency grid; improvement suggestions
Risk and nonquality	Safety incidents, product damage, cyber or data incidents	Claims, recalls, investigation, reputational and compliance cost	Safety reports; quality defects; incident and audit records

Best Estimate Scenario and Qualimetric Logic

The following scenario is deliberately conservative and explicit. It models 100 humanoid robots in a logistics or light-manufacturing setting during the first operating year. It does not claim that every robot replaces a full-time employee. Instead, it assumes that each robot releases 0.70 full-time-equivalent of repetitive task capacity after downtime, safety coverage, task limitations, and human coordination are considered. This is a planning assumption, not an observed average. The dollar values are management estimates used to expose questions that must be tested locally.

Table 5. Best-estimate qualimetric scenario for 100 humanoid robots in the first operating year.

Scenario input	Low case	Base case	High case	Interpretive note
All-in first-year robot cost per unit	\$45,000	\$75,000	\$120,000	Purchase or lease equivalent, deployment, integration, and support allowance
Human task capacity released per robot	0.40 FTE	0.70 FTE	1.00 FTE	Capacity released is not layoffs; it can fund redesign, quality, and service work
Fully loaded annual labor cost per FTE	\$85,000	\$110,000	\$140,000	Use local wage, benefit, and overhead records
Visible annual gross capacity value for 100 robots	\$3.40m	\$7.70m	\$14.00m	Released FTE capacity multiplied by loaded annual cost
First-year visible robot investment	\$4.50m	\$7.50m	\$12.00m	100 units multiplied by estimated all-in cost

Scenario input	Low case	Base case	High case	Interpretive note
Hidden cost loading as share of visible investment	25%	45%	70%	Integration, nonproduction, rework, training, support, and turnover risk
Estimated first-year hidden costs	\$1.13m	\$3.38m	\$8.40m	A SEAM diagnostic hypothesis, not a booked accounting total
Untapped human potential if redeployed and trained	\$0.85m	\$2.31m	\$4.20m	25% to 30% of released capacity deliberately reinvested in human improvement work

The base case illustrates the difference between procurement arithmetic and SEAM arithmetic. Visible released capacity of \$7.70 million is close to a visible first-year robot investment of \$7.50 million. A superficial analysis might call this near-immediate payback. Adding a 45% hidden-cost loading, however, produces an estimated \$3.38 million of unbudgeted cost pressure. The answer is not to declare the project a failure. It is to ask whether human capacity is being released into higher-value work or merely expelled from the organization. If 30% of the released capacity is formally directed to preventive maintenance, quality improvement, customer recovery, safety learning, and worker-led redesign, about \$2.31 million of untapped potential can become productive. The remaining gap requires a local redesign plan, not an automation slogan.

Untapped Human Potential

The most important SEAM question is what happens to people after a task is automated. If workers are treated as residual cost, the organization may lose the people who understand variation, damage, customer needs, near misses, workarounds, and the practical limits of an AI system. That loss reappears as downtime, nonquality, turnover, and the noncreation of human potential. If workers are instead involved as co-designers, the deployment can build new roles: robot workcell coordinator, quality and safety observer, maintenance apprentice, data and exception steward, customer-recovery specialist, and continuous-improvement storyteller. The object is not sentimental preservation of every old job. It is a planned conversion of repetitive strain and wasted time into human judgment, learning, and value creation.

This conversion requires the SEAM 3Cs: communication, coordination, and cooperation. Communication means telling the truth about intended uses, task boundaries, and employment consequences. Coordination means a jointly maintained operating rhythm across production, safety, information technology, maintenance, human resources, and vendor teams. Cooperation means that people closest to the robot can stop work, report a failure, propose a redesign, and see whether the proposal changes the system. Without the 3Cs, the AI Revolution becomes a one-way story told by procurement.

SEAM Intervention Design

Table 6. SEAM intervention design for a robotic AI deployment.

Intervention phase	Actions	SEAM tools	Measures of conversion
Diagnosis	Interview workers, supervisors, maintenance, safety, and customers; observe shifts; trace exceptions	Qualimetric coding; hidden-cost account; competency grid	Dysfunction map; baseline time and cost; worker-validated findings
Project design	Select one bounded workflow; define safety and quality gates; agree redeployment rules	Priority action plan; periodically negotiable activity contract	Joint commitments; explicit task ownership; stop-work authority
Implementation	Pilot with protected learning time; train before and during rollout; review daily anomalies	Time-management tool; piloting logbook; training plan	Downtime, rework, injury, overtime, and learning indicators
Evaluation	Compare expected, visible, and hidden effects; revise assumptions with participants	Internal-external strategic action plan; periodic evaluation	Hidden costs recycled; improvements sustained; human potential created

Company Workforce Evidence and Causal Boundaries

Lowe’s video is a valuable industry map, but a SEAM analysis must not convert a sector-level production story into an untested claim that every manufacturer or customer has laid off workers because of humanoids. The available public evidence is uneven. A disclosed reduction shows an organizational vulnerability that merits diagnosis; it does not by itself establish the cause of the reduction. The relevant unit of analysis is the task system: a particular workcell, warehouse flow, vehicle plant, or robot-manufacturing line, with its before-and-after work design, staffing, safety, quality, time, and revenue data.

The public record used below includes reporting on Tesla’s 2024 reduction, Boston Dynamics’ 2024 reduction, Amazon’s safety settlement, Agility’s 2024 staffing reduction, and announced expansion at EngineAI. It is evidence for questions and baselines, not a causal proof of displacement by a robot (Reuters, 2024a, 2024b).

Table 7. Public workforce evidence and SEAM research questions for companies named in the Lowe video.

Company or deployment setting	Public workforce evidence	Causal boundary	SEAM research question
Figure AI	No verified public mass-layoff count located in the reviewed sources; a former safety leader filed a retaliation claim after raising safety concerns.	Do not infer displaced-worker totals from capacity or hiring claims.	How much additional safety, quality, integration, and exception work is created per deployed robot?
EngineAI	No verified public layoff count located; its Shenzhen manufacturing-base	A production target is not an employment outcome.	What human work is shifted into programming, test,

Company or deployment setting	Public workforce evidence	Causal boundary	SEAM research question
	announcement describes expansion and delivery.		repair, supplier coordination, and post-sale support?
Unitree	Public reporting describes high core-staff attrition, not a verified mass-layoff total.	Attrition, layoff, and automation displacement must be coded separately.	Which capabilities and relationships are lost when rapid scale-up increases turnover?
Agility Robotics	The company confirmed a small, undisclosed 2024 workforce reduction during commercialization.	No public count or direct evidence ties the reduction to Digit deployment.	Can commercial ramp-up be organized around competency grids and redeployment rather than loss of capability?
Tesla and Optimus	Tesla announced a 2024 reduction of more than 10% of its global workforce, widely reported as at least 14,000 jobs.	The public record links the reduction to sales, competition, and restructuring; it does not isolate Optimus as the cause.	What is the foregone value if affected workers are not redeployed into manufacturing, quality, service, and AI-transition work?
Boston Dynamics and Hyundai	Boston Dynamics cut 45 employees, approximately 5% of its workforce, in December 2024 amid cash-burn concerns.	The reported cause was financial pressure, not a demonstrated replacement of people by Atlas.	What technical, safety, and commercialization knowledge is lost when a robotics firm cuts across functions?
Amazon warehouse operations	Amazon agreed in 2024 to implement U.S.-wide safety measures after federal ergonomic-injury claims; 2025 reporting and internal plans raise future workforce concerns.	Safety and future hiring projections are not proof that an individual robot caused an injury or layoff.	Does robotics reduce ergonomic risk, or does pace, task fragmentation, and weak 3Cs move risk elsewhere?

The table creates a research discipline. Claims about job elimination must be dated, sourced, and attributed only where evidence warrants it. For China-based firms, public layoff data are especially incomplete; the correct result is not to fill the gap with a Western assumption but to mark the gap, gather local documents and interviews, and continue the diagnosis. This is consistent with the SEAM interviews-documents-observations method and its warning that storytelling alone is not sufficient evidence (Savall et al., 2023).

Lost Revenue and DPIE Conversion Analysis

The central economic question is not the payroll avoided by firing people. It is the revenue and cost-recovery opportunity foregone when people who know the work are removed rather than organized into DPIE teams. A payroll dollar is not automatically a revenue dollar. Therefore, this paper distinguishes compensation exposure from realized revenue contribution. The former can sometimes be approximated from public headcounts; the latter requires field measures of improved throughput, fewer defects, recovered customer service, reduced incidents, and new revenue generated by redeployed people.

Table 8. SEAM formulas for estimating hidden-cost loss and DPIE conversion value.

Measure	Formula	What must be measured locally
Hidden-cost loss	$HC = \Sigma(\text{frequency of dysfunction} \times \text{time or resource loss} \times \text{local unit cost})$	Absence hours, injury costs, overtime, rework, downtime, scrap, energy, outside

Measure	Formula	What must be measured locally
		support, and time spent on unplanned coordination
Foregone DPIE value	$\text{FDV} = \text{displaced or underused FTE} \times \text{redeployment share} \times \text{annual contribution per DPIE FTE}$	The share of people who could have been reassigned and the actual contribution margin or verified cost recovery of each DPIE role
Net conversion value	$\text{NCV} = \text{verified DPIE contribution} + \text{hidden costs avoided} - \text{training} - \text{transition} - \text{tooling costs}$	Revenue from new services or capacity, cost avoidance, training time, redesign expenses, and robot support expenditure
Strategic implementation loss	$\text{SIL} = \text{delayed or failed strategic action} \times \text{measured margin at risk}$	Lost orders, delayed launches, quality escapes, customer churn, regulatory exposure, and missed learning opportunities

These are SEAM operational formulas, not a license to substitute generic market statistics for diagnosis. Savall et al. (2023) place time management first because it reveals where low-value activity, overtime, and nonproduction are concentrated. Competency grids then show which capabilities are vulnerable. The priority action plan, dashboard, and periodically negotiable activity contract convert this evidence into a collectively managed redeployment plan.

Table 9. Illustrative foregone DPIE contribution scenario using publicly reported workforce reductions.

Case	Publicly reported affected FTE	Illustrative annual contribution per redeployed DPIE FTE	10% redeployment	25% redeployment	40% redeployment
Tesla 2024 reduction	14,000 or more	\$60,000	\$84.0m	\$210.0m	\$336.0m
Boston Dynamics 2024 reduction	45	\$60,000	\$0.27m	\$0.68m	\$1.08m
Amazon corporate reduction reported in 2025	14,000	\$60,000	\$84.0m	\$210.0m	\$336.0m

Note. The figures in Table 9 are illustrative foregone annual contribution scenarios, not audited revenue losses and not causal claims about humanoid robots. They multiply the publicly reported FTE count by the stated redeployment share and a deliberately transparent \$60,000 annual contribution assumption. The assumption must be replaced in field research by documented contribution margin, recovered service revenue, verified cost avoidance, or other local value evidence. No calculation is shown for Figure AI, EngineAI, Unitree, or Agility because the reviewed public sources do not provide a reliable comparable affected-FTE count.

The deeper roots are visible in this framework. Excess salary and overtime include duplicated coverage, costly AI and robot-programming support, emergency maintenance, and unplanned supervision. Overconsumption includes purchasing robots where task-specific automation, redesign, or human judgment would create more value; it also includes energy, spare parts, integration contracts, and repeated retraining.

Nonproduction includes the lost output of dismissed workers, downtime, stalled recovery work, and the absence of people able to solve exceptions. Noncreation of human potential occurs when superiority stories make the workforce appear obsolete, so that experiential knowledge is neither trained nor redeployed. Risk includes ergonomic injury, product and service failures, cyber exposure, liability for displacement decisions, and the strategic damage of short-term cost cutting that makes long-term implementation less capable.

For Amazon, this means the SEAM study has to test a claim, not presume it: whether robotic deployment reduces the ergonomic burden of specific tasks while maintaining safe pace, adequate recovery, worker voice, and stop-work authority. The 2024 federal settlement and public debate about warehouse injury rates make safety a required cost category, not an afterthought. A robot that removes one lifting task while intensifying the remaining human pace can shift rather than reduce hidden costs.

A SEAM deployment should report a dual scorecard. The economic side includes throughput, quality, energy, maintenance, capital, and service-level performance. The social side includes workload, injuries and near misses, overtime, turnover, learning hours, participation in redesign, and the quality of employment transitions. Both are needed because a project that improves output while deteriorating coordination and human capability is borrowing against its own future.

Three Historical Tests of the SEAM Robotics Alternative

The question is no longer whether robots can perform some tasks. It is whether the organizational choice to displace workers produces better socio-economic results than a deliberate conversion of released time into human capability. Three cases make the question concrete: a robot manufacturer learning to commercialize a humanoid, a high-volume parcel-sorting system deploying warehouse robotics, and an electric-vehicle manufacturer restructuring while investing in AI and automation. These are not three identical industries. That is their value. Together they show how the same efficiency story changes when the unit of analysis moves from the machine to the living system of work.

Table 10. Historical comparison design for three SEAM robotics cases.

Case	Historical turning point	Visible management narrative	SEAM historical question	Evidence required
Agility Robotics and Digit	2023 RoboFab scale-up; 2024 long-term commercial deployment at GXO	Commercialization, scale, and relief from difficult repetitive logistics work	Does early commercialization retain and develop the engineering, field-service, safety, and customer-learning capacity required for reliable deployment?	Headcount and role changes; deployment logs; robot availability; exceptions; engineering changes; customer renewal and service revenue
Amazon parcel sorting and warehouse robotics	2012 Kiva acquisition; subsequent robotics expansion; 2024 safety settlement	Throughput, faster fulfillment, lower physical strain, and safer handling	Does automation reduce total human harm and create better work, or does it move injury, pace pressure,	Facility-level injury and near-miss data; task rates; job rotation; turnover; overtime; worker interviews;

Case	Historical turning point	Visible management narrative	SEAM historical question	Evidence required
			and exception work into less visible parts of the system?	throughput; claims; corrective-action records
Tesla manufacturing and Optimus	2018 and 2024 restructuring amid EV competition and AI investment	Cost reduction, productivity, innovation, and strategic focus	What is lost when workforce cuts interrupt the internal capability needed for quality, service, manufacturing learning, and new AI-enabled production?	Role-level layoff and redeployment data; quality and service indicators; launch delays; training; internal mobility; defect and rework costs; contribution margin

The historical record has an asymmetry. Companies publish investments, products, factory openings, and savings narratives more readily than they publish the work displaced into repair, supervision, injury recovery, or lost innovation. This asymmetry is itself a SEAM finding. It tells the researcher where interviews, documents, and observation must begin. The correct comparison is not one robot versus one worker. It is two pathways for the same task system: a displacement pathway and a human-robot bridge pathway.

Case One Agility Robotics and the Manufacturer Learning Problem

Agility Robotics is a useful manufacturer case because Digit moved from development and factory-scale ambition into a long-term commercial deployment at a GXO facility near Atlanta in June 2024 (Agility Robotics, 2024). The event matters less as a claim that humanoids have arrived than as a historical test of what commercialization requires. A robot manufacturer does not sell only a body, batteries, motors, and control software. It sells a continuing capacity to learn from failures in a customer setting, modify work instructions, service equipment, respond to safety concerns, train users, manage suppliers, and translate between a warehouse and an engineering organization.

A displacement strategy at the manufacturer can look attractive when cash is scarce. Technical staff appear as expense before their accumulated field knowledge appears as revenue. Yet the hidden-cost question is whether reduced staffing creates longer repair cycles, weaker customer integration, delayed design correction, incomplete safety learning, and lost repeat sales. In a Robots-as-a-Service model, the value of a deployment is especially relational: recurring revenue depends on uptime, trust, responsiveness, and the ability to adapt a robot to changing operational conditions. Those are precisely the outcomes created by human coordination, not by the hardware alone.

The SEAM alternative is a commercialization DPIE team composed of field technicians, customer operators, safety personnel, product engineers, and a worker representative from the deployment site. Its task is not merely to keep Digit running. It codes every exception: failed pick, delayed handoff, near miss, confusing instruction, maintenance delay, training gap, and customer workaround. The team then converts that

evidence into design changes, training modules, and customer value. The measurable results are lower time-to-recovery, fewer repeated failures, shorter customer acceptance cycles, reduced outside-support cost, and improved renewal or expansion revenue. A manufacturer that dismisses this team may preserve cash in the short term while destroying the learning loop through which a humanoid becomes commercially dependable.

Case Two Amazon Parcel Sorting and the Safety Productivity Trade Off

Amazon provides the largest available historical test because robotics has been embedded in its fulfillment network since the 2012 acquisition of Kiva Systems, while sorting, picking, transport, induction, and storage technologies have continued to change (Amazon, 2022). The historical question is not whether Amazon robots move packages. They do. The question is what happens to the work that remains: the pace, repetition, recovery, monitoring, exception handling, injury exposure, and possibility of worker voice.

The public evidence cautions against a one-sided answer. Burtch, Greenwood, and Ravindran (2025) report that warehouse robotics were associated with a 40% decrease in severe injuries and a 77% increase in non-severe injuries, with evidence that increased pace contributed to the latter. The result does not prove that every Amazon robot causes injury; it does show why a safety claim cannot be reduced to a collision-avoidance demonstration. In 2024, Amazon agreed to nationwide ergonomic measures that included adjustable workstations, mats, harnesses, job rotation, and a process for reviewing worker-identified hazards (Reuters, 2024a). These measures are close to the SEAM proposition: technology is not safe in the abstract; it is safe or unsafe in a concrete organization of time, workload, equipment, and voice.

For a parcel-sorting facility, the SEAM counterfactual should follow a selected workflow before, during, and after robotic introduction. The displacement pathway uses released labor primarily to reduce headcount and increase task pace. The bridge pathway redeploys a defined share of released capacity to job rotation, preventive ergonomics, robot exception recovery, quality inspection, customer-damage reduction, maintenance apprenticeship, and worker-led redesign. The bridge must be funded and scheduled; it cannot be an invitation to contribute improvement ideas after an exhausting shift. Its evidence is a time series: packages per paid hour, recordable and non-recordable injuries, near misses, missed breaks, overtime, turnover, customer claims, downtime, and the rate at which worker-raised hazards are corrected.

This case reaches beyond the individual warehouse. Amazon's ability to promise rapid delivery rests on a network of workers, contractors, facilities, robots, and algorithms. If the robots increase flow but the remaining human work becomes more repetitive or compressed, the system may externalize cost into workers compensation, turnover, disability, and community health. SEAM makes that transfer visible. It asks whether the apparent logistics gain remains a gain after the organizational system is charged for the time and harm it consumes.

Case Three Tesla Workforce Restructuring and AI Manufacturing

Tesla is the most consequential displacement case in this paper because it joins highly automated manufacturing, a public commitment to AI and Optimus, and repeated restructuring. In April 2024, Tesla announced a reduction of more than 10% of its global workforce amid declining sales and intense electric-vehicle competition (Reuters, 2024b). Public reporting placed the reduction at 14,000 or more workers. The evidence does not establish that Optimus caused those cuts, and the paper should not say so. The SEAM question is different: when a firm simultaneously reduces people and pursues AI-enabled production, what forms of productive capability are it at risk of eliminating?

Tesla's 2024 Form 10-K makes the contradiction visible. It reported a worldwide headcount of 125,665 at year end, more than 13,000 internal career advances during the year, and a management group substantially promoted from internal, non-managerial roles (Tesla, 2025). This is evidence that internal development has economic value in Tesla's own operating model. A layoff can therefore be analyzed not only as payroll reduction but as a potential interruption of the internal labor market that supplies supervisors, manufacturing technicians, controls engineers, quality experts, service personnel, and practical problem-solvers.

The SEAM alternative would not insist that every affected job remain unchanged. It would establish a transition compact before automation or restructuring: identify the roles and competencies likely to be released; provide protected training; fund temporary DPIE assignments; and measure the financial contribution of quality recovery, service backlog reduction, battery and energy-storage improvement, manufacturing error prevention, safety improvement, and AI implementation support. The decision rule is empirical. If redeployment produces a verified contribution greater than its compensation, training, and transition cost, it is a better business decision as well as a better human decision. If it does not, the organization should say so honestly, revise the design, and protect workers through a negotiated transition rather than hide a strategic choice behind the vocabulary of inevitability.

Table 11. Illustrative annual bridge calculations for the three cases.

Case	Planning assumption	Redeployment calculation	Illustrative annual contribution	Interpretation
Agility commercialization team	75 technical and operational roles exposed to a scale-up decision; 30% assigned to DPIE work; \$100,000 verified annual contribution per role	$75 \times .30 \times \$100,000$	\$2.25m	A planning scenario, not a reported headcount or revenue figure. It estimates the value needed from retained field-learning capacity.
Amazon parcel-sorting facility	1,000 FTE facility; 15% released task capacity; 30% assigned to DPIE work; \$60,000 annual contribution per role	$1,000 \times .15 \times .30 \times \$60,000$	\$2.70m	A representative facility scenario. It must be replaced by local staffing, task, injury, and margin data.

Case	Planning assumption	Redeployment calculation	Illustrative annual contribution	Interpretation
Tesla 2024 restructuring	14,000 affected FTE; 25% assigned to DPIE work; \$60,000 annual contribution per role	$14,000 \times .25 \times \$60,000$	\$210.0m	A transparent foregone-contribution scenario, not audited revenue or proof that Optimus caused a layoff.

Table 11 does not prove that the bridge pathway wins in every case. It shows the necessary threshold. The annual contribution must be verified from contribution margin, avoided rework, fewer incidents, service recovery, customer retention, or other measured value. At the same time, the displacement calculation must include more than wages avoided. It must include severance, recruitment when skills must later be rebuilt, loss of process knowledge, interruption of implementation, safety and quality exposure, and the opportunity cost of not converting human capability into improvement work. The comparison is most defensible as a three- to five-year net-present-value analysis, with sensitivity tests for robot uptime, training cost, injury cost, turnover, quality loss, and market demand.

A Human Robot Bridge Rather Than a Layoff Algorithm

A SEAM robotics program is possible, but it is not self-executing. It requires a governance choice. Management must decide before deployment that released capacity has a destination other than unemployment. The bridge has five commitments: disclose the task and employment design; preserve a protected pool of transition time; create mixed DPIE teams with authority to redesign work; measure both economic and social results; and share the gains through career pathways, safer jobs, or shorter and more sustainable work. These are not charitable additions to a technical project. They are the conditions under which a complex robotic system can learn without consuming the human system that makes it work.

This bridge has an Asimov-like moral clarity, though it is organizational rather than fictional. A robot should not be judged successful merely because it can replace a motion. Its success depends on whether it reduces avoidable human harm without creating a new harm through pace, displacement, surveillance, or the withdrawal of human judgment. The first obligation of a human-robot system is therefore not maximum substitution. It is accountable augmentation: use machines to remove strain, danger, and monotonous waste while expanding the capability, safety, and answerability of the people who remain responsible for the whole system.

Discussion

Humanoid robotics may prove valuable where work is hazardous, physically exhausting, repetitive, or difficult to staff. Yet general-purpose humanoids are not an automatic substitute for well-designed task-specific automation. As one robotics practitioner noted, purpose-built automation is typically higher-

performing and lower-cost for a defined task (Wired, 2025). The special promise of a humanoid form is flexibility in human-built environments. The special danger is that flexibility is mistaken for universal competence. Facilities need to validate actual reliability, safety, task success, recovery time, and governance rather than treating factory cadence as proof of operational readiness.

The SEAM analysis also shifts the political question. When management says that the price of a machine is lower than the annual cost of a worker, it is comparing a capital artifact with a full social life. The human cost includes not only wages but the knowledge, cooperation, care, judgment, and potential that make a production system resilient. The organization must decide whether it will use AI to deepen a cycle of hidden costs or to create a more answerable form of human-machine work. This is why the historical cases matter: they turn a general ethical concern into an operational decision about budgets, roles, time, evidence, and value.

Conclusion

The AI Revolution in robotics is real, rapid, and uneven. Reported capacity increases deserve attention, but they are not a substitute for a socio-economic diagnosis. The historical evidence does not support the comforting claim that displacement is always efficient, nor does it support the equally simple claim that every robotic deployment is a social failure. It supports a harder conclusion: displacement is often an accounting result produced by a narrow boundary around the business case. When that boundary is widened to include injury, turnover, repair, lost learning, customer recovery, quality, and strategic implementation, the apparent savings can shrink, disappear, or reverse.

SEAM offers a practical alternative. It says that a firm may automate a task without discarding the people whose experience makes automation workable. A robot manufacturer can retain the field-learning capacity that turns a prototype into a trusted service. A warehouse can use robotics to remove heavy and hazardous work while redeploying people to safety, quality, exception recovery, and redesign. A manufacturer such as Tesla can treat internal mobility and AI-transition work as a strategic asset instead of an expendable cost. The future is not determined by whether a machine has hands, wheels, or a humanoid body. It is determined by whether organizations build a bridge between technical capability and human potential, or use technology to sever it.

The bolder conclusion is therefore this: the decisive innovation in the robot age is not the humanoid robot. It is the institution that refuses to measure success by human displacement alone. A responsible firm should publish its automation transition account: jobs changed, people redeployed, skills created, injuries prevented, hidden costs recovered, and value shared. Until it does, claims of productivity remain incomplete. The Asimov question for real organizations is not whether robots will become more human-like. It is whether the

organizations that deploy them will become more answerable to the humans whose work, knowledge, and futures they reorganize.

References

- Agility Robotics. (2023, September 18). Opening RoboFab worlds first factory for humanoid robots. <https://www.agilityrobotics.com/content/opening-robofab-worlds-first-factory-for-humanoid-robots>
- Agility Robotics. (2023, October 24). Agility Robotics broadens relationship with Amazon. <https://www.agilityrobotics.com/content/agility-robotics-broadens-relationship-with-amazon>
- Agility Robotics. (2024, June 5). Digit deployed at GXO in historic humanoid RaaS agreement. <https://www.agilityrobotics.com/content/digit-deployed-at-gxo-in-historic-humanoid-raas-agreement>
- Amazon. (2022, June 21). 10 years of Amazon robotics: How robots help sort packages, move product, and improve safety. <https://www.aboutamazon.com/news/operations/10-years-of-amazon-robotics-how-robots-help-sort-packages-move-product-and-improve-safety>
- Reuters. (2024a, December 19). Amazon agrees to worker safety measures to settle U.S. probe. <https://www.reuters.com/technology/amazon-agrees-worker-safety-measures-settle-us-probe-2024-12-19/>
- Burtch, G., Greenwood, B., & Ravindran, K. (2025). Lucy and the chocolate factory: Warehouse robotics and worker safety. *ILR Review*, 78(4). <https://doi.org/10.1177/00197939251333754>
- Associated Press. (2024, December 16). Senate report alleges Amazon rejected warehouse safety recommendations due to productivity concerns. <https://apnews.com/article/eb5b72dd501be0bccc9d919c34731290>
- Boston Globe. (2024, December 11). Boston Dynamics lays off 45 employees, 5 percent of its workforce.
- Conbere, J. P., Heorhiadi, A., & Hazelbaker, C. B. (2018). *The socio-economic approach to management: Steering organizations into the future*. World Scientific.
- EngineAI Robotics. (2026, May 29). EngineAI launches Shenzhen intelligent manufacturing base as first batch of T800 humanoid robots roll off the production line. PR Newswire. <https://www.prnewswire.com/news-releases/engineai-launches-shenzhen-intelligent-manufacturing-base-as-first-batch-of-t800-humanoid-robots-roll-off-the-production-line-to-begin-mass-delivery-302785384.html>
- Figure AI. (2025, February 26). BotQ: A high-volume manufacturing facility for humanoid robots. <https://www.figure.ai/news/botq>
- Figure AI. (2026, April 29). Ramping Figure 03 production. <https://www.figure.ai/news/ramping-figure-03-production>
- Goldman Sachs. (2024, February 27). The global market for humanoid robots could reach \$38 billion by 2035. <https://www.goldmansachs.com/insights/articles/the-global-market-for-robots-could-reach-38-billion-by-2035>
- Lowe, Robert. (2026, September 28). Humanoid robotics and the AI revolution [YouTube Short]. YouTube. https://youtube.com/shorts/Nkiyuo-z3Vc?si=s_pdPgKOQxWoPlye
- Reuters. (2024b, April 15). Tesla laying off more than 10% of staff globally as sales fall. <https://www.reuters.com/business/autos-transportation/tesla-lay-off-more-than-10-its-staff-electrek-reports-2024-04-15/>
- Savall, H., Zardet, V., Bonnet, M., & Savall, A. (2023). Presentation of SEAM and opening up on storytelling approaches. In D. M. Boje & A. Savall (Eds.), *Corporate and business strategies of business storytelling* (Vol. 5, pp. 3-30). World Scientific. https://doi.org/10.1142/9789811273537_0001
- Savall, H., & Zardet, V. (2008). *Mastering hidden costs and socio-economic performance*. Information Age Publishing.
- Tesla, Inc. (2025). Annual report 2024 (Form 10-K). https://ir.tesla.com/_flysystem/s3/sec/000162828025003063/tsla-20241231-gen.pdf
- U.S. Senate Committee on Health, Education, Labor, and Pensions, Majority Staff. (2024). *The injury-productivity trade-off: How Amazon's speed and quotas lead to injuries and worker harm*. https://www.help.senate.gov/imo/media/doc/amazon_investigation.pdf
- Wired. (2025). 2025 is the year of the humanoid robot factory worker. <https://www.wired.com/story/2025-year-of-the-humanoid-robot-factory-worker/>